

Solid '200 S'	
Description	<ul style="list-style-type: none"> Boeson Trennwax® Solid '200 S' is at room temperature, a beige coloured hard, vegetable fat based release agent. When warmed to approximately 30-35°C it starts to become pasty. It has very good adhesive powers on warm, vertical/steep sided surfaces, and excellent release properties.
Usage	<ul style="list-style-type: none"> A solid release agent for the cooker receiving pans of sugar boiling/cooker plants. Also for use in transport containers, moulds, cold tables and other metal parts coming into contact with a sugar/ caramel mass. In most cases, it will not be necessary to apply the release agent after each removal of the sugar/ caramel mass from the receiving pans. To grease candy filling pipes (inside and out), a 1:1 mixture of Solid '200 S' and Liquid 'Special O' may be used. The Solid '200 S' should be melted prior to mixing the two grades together.
Processing	<ul style="list-style-type: none"> Apply by cloth, felt or brush. Alternatively, the Solid '200/S' may be melted and sprayed if preferred.
Application Temperature	<ul style="list-style-type: none"> 25 to 35°C (for melting, heat to approximately 60°C).
Storage Conditions	<ul style="list-style-type: none"> 15 to 20°C – Cool, dry hygienic conditions.
Iodine Value (by calculation from Gaschromatogram)	<ul style="list-style-type: none"> 12 – 23.
Peroxide Value (By the Wheeler method)	<ul style="list-style-type: none"> Not more than 3.
Drop point (according to Ubbelohde)	<ul style="list-style-type: none"> 55 – 65°C.
Pack Sizes/Types	<ul style="list-style-type: none"> 8kg tin.

Boeson Trennwax® Solid '200S' is a registered trademark of BakeMark Deutschland GmbH

Please note:

Every care has been taken to ensure that the information detailed on this sheet is correct at the time of issue. However, your recipe, other ingredients and processing are outside our control. Therefore, we advise that you carry out prudent trials to check the product makes goods of a satisfactory quality and complies with current legislation.